

Euro NCAP Test 2024: Ford Tourneo Custom



Drei Sterne für den Ford Tourneo Custom mit Standard Sicherheitsausstattung

Das Fahrzeug ist mit Gurtkraftbegrenzern, Gurtstraffern, Kopfairbags sowie optischen und akustischen Gurtwarnern in der ersten und zweiten Sitzreihe mit Sitzplatzbelegungserkennung ausgestattet. In der ersten Sitzreihe schützen Airbags seitlich den Oberkörper und das Becken. Zwischen den Sitzen ist ein Zentralairbagsystem installiert, das die vorderen Insassen bei einem Seitenaufprall gegeneinander schützt.

Der Insassenschutz ist für Erwachsene ausreichend, das Verletzungsrisiko überwiegend sehr gering bis mäßig. Der Schutz für Kinder ist gut, das Verletzungsrisiko überwiegend sehr gering. Es sind ISOFIX-Halter an den beiden äußeren Sitzplätzen der zweiten und dritten Sitzreihe montiert mit i-Size-Kennzeichnung und Top-Tether-Ankerpunkten. Die gegurtete Montage ist auf allen Sitzplätzen für vom Hersteller freigegebene Kindersitze unkritisch. Die Anwesenheit eines Kindes wird jedoch nicht gemeldet, falls das Fahrzeug verlassen wird. Der Frontairbag auf der Beifahrerseite kann deaktiviert werden.

Der Ford Tourneo Custom ist mit einem autonomen Notbrems-Assistenten mit Erkennung ungeschützter Verkehrsteilnehmer, mit aktivem Spurhaltesystem, mit einem automatisierten Geschwindigkeitsbegrenzer und einem Müdigkeits-Assistenten serienmäßig ausgestattet. Eine Multikollisionsbremse ist an Bord. Ein e-Call-Notrufsystem ist serienmäßig verbaut. Ein Rettungsdatenblatt („Rettungskarte“) steht nur in manchen Ländern zur Verfügung und ist nicht ISO-konform.



Der Ford Tourneo Custom im frontalen Offsetcrash gegen die gleichschnell und versetzt entgegenrollende Barriere mit Deformationselement (Foto: Euro NCAP)

Insassenschutz für Erwachsene: 75 %

Die Fahrgastzelle des Ford Tourneo Custom blieb beim versetzten Frontalaufpralltest stabil. Die Dummy-Werte zeigten einen guten Schutz der Knie und Oberschenkel sowohl des Fahrers als auch des Beifahrers. Ford konnte jedoch nicht nachweisen, dass Insassen unterschiedlicher Größe und Sitzposition in gleichem Maße geschützt werden, so dass der Schutz in diesem Bereich auf mäßig herabgestuft wurde. Die Analyse der Verzögerung des gleichschnell und versetzt entgegenkommenden Aufprallwagens während des Tests und der verformbaren Barriere nach dem Test ergab, dass der Tourneo Custom bei einem Frontalaufprall ein mäßig guter Aufprallgegner wäre. Beim Test gegen die starre Barriere über die gesamte Fahrzeugbreite war der Schutz aller kritischen Körperbereiche sowohl für den Fahrer als auch für den Beifahrer gut oder ausreichend.

Sowohl beim Test mit der seitlich eindringenden Barriere als auch beim strengeren Test im Pfahlanprall war der Schutz aller kritischen Körperbereiche gut, der Tourneo Custom erreichte in diesem Teil der Bewertung die maximale Punktzahl. Die Kontrolle der Auslenkung (das Maß, in dem ein Körper auf die andere Seite des Fahrzeugs geschleudert wird) war gut. Der Tourneo Custom verfügt über einen am Fahrersitz montierten Mittelairbag, der bei einem solchen Aufprall die Verletzungen der vorderen Insassen untereinander mindert. Die Dummy-Werte im Euro NCAP-Test waren gut, wobei Fahrer und Beifahrer gleichermaßen geschützt waren.

Tests an den Vordersitzen und Kopfstützen zeigten einen guten Schutz gegen Schleudertraumata bei einem Heckaufprall. Eine geometrische Analyse der Rücksitze ergab ebenfalls einen guten Schleudertrauma-Schutz. Der Tourneo Custom verfügt über ein fortschrittliches e-Call-System, das im Falle eines Unfalls die Rettungsdienste alarmiert. Das Fahrzeug verfügt auch über ein System, das nach einem Aufprall die Bremsen betätigt, um Folgekollisionen zu vermeiden. Ford demonstrierte, dass sich die

verriegelten Türen bei einem Sturz ins Wasser innerhalb von zwei Minuten nach einem Stromausfall öffnen lassen.

Insassenschutz für Kinder: 86 %

Sowohl beim Frontalaufprall- als auch beim Seitencrashtest waren alle kritischen Körperbereiche der beiden Kinderdummys gut geschützt, mit Ausnahme des Halses des 10-jährigen, der ausreichend geschützt war. Der Beifahrer-Airbag kann deaktiviert werden, um die Verwendung eines nach hinten gerichteten Kindersitzes in dieser Sitzposition zu ermöglichen. Der Fahrer erhält klare Informationen über den Status des Airbags.

Der Ford Tourneo Custom ist nicht mit einer Kinderanwesenheitserkennung ausgestattet, einem System, das eine Warnung ausgeben würde, wenn es erkennt, dass ein Kind oder ein Kleinkind im Fahrzeug zurückgelassen worden sein könnte. Alle Kinderrückhaltesysteme, für die der Tourneo Custom ausgelegt ist, konnten ordnungsgemäß installiert und im Fahrzeug untergebracht werden.

Ungeschützte Verkehrsteilnehmer: 77 %

Der Schutz des Kopfes eines angefahrenen Fußgängers oder Radfahrers war überwiegend gut oder ausreichend. Der Schutz des Beckens und des Oberschenkels war an allen Teststellen gut, der des Knies und des Schienbeins war überwiegend gut.

Das autonome Notbremssystem (AEBS) des Ford kann sowohl auf ungeschützte Verkehrsteilnehmer als auch auf andere Fahrzeuge reagieren. Bei den Tests zur Reaktion auf Fußgänger war die Leistung insgesamt ausreichend. Bei Tests zur Reaktion auf Radfahrer schnitt das System gut ab. Das AEB-System bei den Tests zur Reaktion auf Motorradfahrer erreichte gute Werte. Ein System zur Verhinderung eines Door-ing-Unfalls, bei dem eine Tür plötzlich in den Weg eines von hinten kommenden Radfahrers geöffnet wird, ist nur optional verfügbar, wie auch ein Notbremsassistent für die Rückwärtsfahrt.

Sicherheits-Assistenten: 53 %

Insgesamt war die Leistung des autonomen Notbremssystems (AEBS) bei den Tests zur Reaktion auf andere Fahrzeuge mäßig, bei Frontal- und Kreuzungsszenarien gab es keine Punkte.

Ein Sicherheitsgurt-Erinnerungssystem ist serienmäßig auf den Vorder- und Rücksitzen eingebaut. Das Fahrzeug verfügt über ein indirektes System zur Überwachung des Fahrerstatus, das die Müdigkeit des Fahrers erkennt.

Der Spurhalteassistent korrigiert sanft die Fahrspur, wenn das Fahrzeug von der Spur abweicht, und greift auch in kritischeren Situationen ein. Das Geschwindigkeitsassistentensystem erkennt die örtliche Geschwindigkeitsbegrenzung. Der Fahrer kann wählen, ob der Begrenzer automatisch vom System eingestellt werden soll, wobei dies nicht standardmäßig aktiviert ist.

Herausgeber/Impressum

ADAC e.V.
Test und Technik
81360 München
E-Mail tet@adac.de
www.adac.de

Euro NCAP
www.euroncap.com



Ford Tourneo Custom
Standard Safety Equipment

2024



Adult Occupant



75%

Child Occupant



86%

Vulnerable Road Users



77%

Safety Assist



53%

SPECIFICATION

Tested Model	Ford Tourneo Custom 2.0 Ecoblue 'Titanium', LHD
Body Type	- 5 door MPV
Year Of Publication	2024
Kerb Weight	2422kg
VIN From Which Rating Applies	- all Tourneo Customs
Class	Business and Family Van

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	●	●	—
Belt pretensioner	●	●	●
Belt loadlimiter	●	●	●
Knee airbag	✘	✘	—
LATERAL CRASH PROTECTION			
Side head airbag	●	●	●
Side chest airbag	●	●	✘
Side pelvis airbag	●	●	✘
Centre Airbag	●	✘	—

	Driver	Passenger	Rear
CHILD PROTECTION			
Isifix/i-Size	—	✘	●
Integrated CRS	—	✘	✘
Airbag cut-off switch	—	●	—
Child presence detection	—	✘	✘
SAFETY ASSIST			
Seat Belt Reminder	●	●	●

SAFETY EQUIPMENT (NEXT)

OTHER SYSTEMS	
Active Bonnet	✘
AEB Vulnerable Road Users	●
AEB Pedestrian - Reverse	○
Cyclist Dooring Prevention	○
AEB Motorcyclist	●
AEB Car-to-Car	●
Speed Assistance	●
Lane Assist System	●
Fatigue / Distraction Detection	●

Note: Other equipment may be available on the vehicle but was not considered in the test year.

- Fitted to the vehicle as standard
 ○ Fitted to the vehicle as part of the safety pack
○ Not fitted to the test vehicle but available as option or as part of the safety pack
 ✘ Not available
 — Not applicable

ADULT OCCUPANT

Total 30.2 Pts / 75%

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR

Frontal Impact 12.6 / 16 Pts

Mobile Progressive Deformable Barrier Full Width Rigid Barrier

Lateral Impact 16.0 / 16 Pts

Side Mobile Barrier Side Pole Far-Side Excursion Occupant Interaction

Rear Impact 3.7 / 4 Pts

Rear Seat Front Seat

ADULT OCCUPANT

Total 30.2 Pts / 75%

GOOD
 ADEQUATE
 MARGINAL
 WEAK
 POOR

Rescue and Extrication		-2.0 / 4 Pts
Rescue Sheet	Not available in some countries, not ISO compliant	
Advanced eCall	Available	
Multi Collision Brake	Available	
Submergence Check	Partially Compliant	

Comments

The passenger compartment of the Ford Tourneo Custom remained stable in the frontal offset test. Dummy numbers showed good protection of the knees and femurs of both the driver and passenger. Ford did not demonstrate that a similar level of protection would be provided to occupants of different sizes and to those sitting in different positions, and protection of this area was downgraded to 'marginal'. Analysis of the deceleration of the impact trolley during the test, and of the deformable barrier after the test, revealed that the Tourneo Custom would be a moderately benign impact partner in a frontal collision. In the full-width rigid barrier test, protection of all critical body areas was good or adequate for both the driver and rear passenger. In both the side barrier and the more severe side pole tests, protection of all critical body areas was good, and the Tourneo Custom scored maximum points in this part of the assessment. Control of excursion (the extent to which a body is thrown to the other side of the vehicle when it is hit from the far side) was good. The Tourneo Custom has a centre airbag mounted on the driver's seat to mitigate against occupant to occupant injuries in such impacts. Dummy numbers were good in Euro NCAP's test, with equal protection to the front driver and passenger. Tests on the front seats and head restraints demonstrated good protection against whiplash injuries in the event of a rear-end collision. A geometric analysis of the rear seats also indicated good whiplash protection. The Tourneo Custom has an advanced eCall system which alerts the emergency services in the event of a crash. The car also has a system which applies the brakes after an impact, to avoid secondary collisions. Ford demonstrated that if the car entered water, the doors, if locked, could be opened within two minutes of power being lost.



CHILD OCCUPANT

Total 42.6 Pts / 86%

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR

Crash Test Performance based on 6 & 10 year old children

23.6 / 24 Pts



Restraint for 6 year old child: *Britax Kidfix M i-size*
 Restraint for 10 year old child: *Britax Kidfix M i-size booster*

Safety Features

7.0 / 13 Pts

	Front Passenger	2nd row outboard	2nd row center	3rd row outboard	3rd row center
Isofix	✗	●	✗	●	✗
i-Size	✗	●	✗	●	✗
Integrated CRS	✗	✗	✗	✗	✗
Top tether	✗	●	✗	●	✗
Child Presence Detection	✗	✗	✗	✗	✗

● Fitted to test car as standard
 ○ Not on test car but available as option
 ✗ Not available

CRS Installation Check

12.0 / 12 Pts

i-Size	Seat Position							
	Front		2nd row			3rd row		
			Left	center	Right	Left	center	Right
	—	—	●	—	●	●	—	●

● Easy
 ● Difficult
 ● Safety critical
 ✗ Not allowed
✗ Airbag ON
 Rearward facing restraint installation not allowed
✗ Airbag OFF

Version 200524

CHILD OCCUPANT


Total 42.6 Pts / 86%

Isofix	Seat Position							
	Front		2nd row			3rd row		
			Left	center	Right	Left	center	Right
	—	—	●	—	●	●	—	●
	—	—	●	—	●	●	—	●
	—	—	●	—	●	●	—	●
	—	—	●	—	●	●	—	●
	—	—	●	—	●	●	—	●
	—	—	●	—	●	●	—	●

● Easy
 ● Difficult
 ● Safety critical
 ✘ Not allowed
✘ Airbag ON
 Rearward facing restraint installation not allowed
✘ Airbag OFF

Seatbelt Attached	Seat Position							
	Front		2nd row			3rd row		
			Left	center	Right	Left	center	Right
	✘	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	●	●	●	●	●	●	●	●
	✘	●	●	●	●	●	●	●

● Easy
 ● Difficult
 ● Safety critical
 ✘ Not allowed
✘ Airbag ON
 Rearward facing restraint installation not allowed
✘ Airbag OFF

 CHILD OCCUPANT

Total 42.6 Pts / 86%

Comments

In both the frontal offset and side barrier tests, good protection was provided to all critical body areas for both child dummies, apart from the neck of the 10 year old, protection of which was adequate. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. The Ford Tourneo Custom is not equipped with 'child presence detection', a system which issues a warning when it recognises that a child or infant may have been left in the car. All of the child restraint types for which the Tourneo Custom is designed could be properly installed and accommodated in the car.


VULNERABLE ROAD USERS

Total 48.6 Pts / 77%

GOOD
 ADEQUATE
 MARGINAL
 WEAK
 POOR

VRU Impact Protection

29.3 / 36 Pts



Pedestrian & Cyclist Head	12.3 Pts
Pelvis	4.5 Pts
Femur	4.5 Pts
Knee & Tibia	8.0 Pts

VRU Impact Mitigation

19.3 / 27 Pts

System Name	Pre-Collision Assist
Type	Auto-Brake with Forward Collision Warning
Operational From	5 km/h
PERFORMANCE 	

AEB Pedestrian

5.5 / 9 Pts

Scenario	Day time	Night time
Car reversing into adult or child		—
Adult crossing a road into which a car is turning		—
Adult crossing the road		
Child running from behind parked vehicles		
Adult along the roadside		

— Currently not tested

AEB Cyclist

7.2 / 8 Pts

Scenario	Day time
Approaching cyclist crossing from behind parked parked vehicles	
Turning across path of an oncoming cyclist	
Approaching a crossing cyclist	
Approaching a cyclist along the roadside	

 VULNERABLE ROAD USERS

Total 48.6 Pts / 77%



GOOD
 ADEQUATE
 MARGINAL
 WEAK
 POOR

Cyclist Dooring Prevention 0.0 / 1 Pts

Scenario	
Dooring a passing cyclist	, driver door only"

AEB Motorcyclist 4.6 / 6 Pts

Scenario	Autobrake function only	Driver reacts to warning
Approaching a stationary motorcyclist		
Approaching a braking motorcyclist		
Turn across the path of an oncoming motorcyclist		—

— Currently not tested

Lane Support Motorcyclist 2.0 / 3 Pts

Scenario	Day time
Changing lane across the path of an oncoming motorcyclist	
Changing lane across the path of an overtaking motorcyclist	

Comments

Protection of the head of a struck pedestrian or cyclist was predominantly good or adequate. Protection of the pelvis and femur was good at all test locations, while that of the knee and tibia was predominantly good. The autonomous emergency braking (AEB) system of the Ford can respond to vulnerable road users as well as to other vehicles. In tests of its reaction to pedestrians, its overall performance was adequate. The system performed well in tests of its response to cyclists, but not for 'dooring', where a door is suddenly opened in the path of a cyclist approaching from behind. Overall, the AEB system performed well in tests of its response to motorcyclists.

SAFETY ASSIST

Total 9.7 Pts / 53%

■ GOOD
 ■ ADEQUATE
 ■ MARGINAL
 ■ WEAK
 ■ POOR

Speed Assistance

■ 1.9 / 3 Pts

System Name	Intelligent Speed Assist
Speed Limit Information Function	Camera & Map, subsigns supported
Speed Limitation Function	Intelligent Speed Limiter not default ON (accurate to 5km/h)

Occupant Status Monitoring

■ 1.3 / 3 Pts

> Seatbelt Reminder

■ 1.0 / 1 Pts

Applies To	Front and rear seats, including third row		
Warning	Driver Seat	Front Passenger(s)	Rear Passenger(s)
Visual	●	●	●
Audible	●	●	●
Occupant Detection	—	●	●

● Pass
 ● Fail
 — Not available

> Driver Monitoring

■ 0.3 / 2 Pts

System Name	Driver Alert
Type	Indirect monitoring
Operational From	30 km/h
Fatigue	Drowsiness

SAFETY ASSIST

Total 9.7 Pts / 53%

Lane Support

2.5 / 3 Pts

System Name	Lane Keeping System
Type	LKA and ELK
Operational From	60 km/h
PERFORMANCE	
Emergency Lane Keeping	GOOD
Lane Keep Assist	GOOD
Human Machine Interface	GOOD

AEB Car-to-Car

4.0 / 9 Pts

System Name	Pre-Collision Assist (PCA)
Type	Autonomous emergency braking and forward collision warning
Operational From	5 km/h
Sensor Used	camera and radar

Scenario	Autobrake function only	Driver reacts to warning
Approaching a car crossing a junction		
Approaching a car head-on		—
Turning across the path of an oncoming car		—
Approaching a stationary car		
Approaching a slower moving car		—
Approaching a braking car		—

— Currently not tested



SAFETY ASSIST

Total 9.7 Pts / 53%

Comments

Overall, the performance of the autonomous emergency braking (AEB) system was marginal in tests of its reaction to other vehicles, with no points scored in the head-on and crossing scenarios. A seatbelt reminder system is fitted as standard to the front and rear seats. The car has an indirect driver status monitoring system, detecting driver fatigue. The lane support system gently corrects the vehicle's path if it is drifting out of lane and also intervenes in some more critical situations. The speed assistance system identifies the local speed limit. The driver can choose to allow the limiter to be set automatically by the system, although this is not on by default.

RATING VALIDITY

Variants of Model Range

Body Type	Engine	Model Name	Drivetrain	Rating Applies	
				LHD	RHD
5 door MPV	2.0 Ecoblue	Tourneo Custom	4 x 2 *	✓	✓
5 door MPV	2.0 Ecoblue	Tourneo Custom	4 x 4	✓	✓

* Tested variant

Annual Reviews and Facelifts

Date	Event	Outcome
May 2024	Rating Published	2024 ★★☆☆☆ ✓